

Getting to Leeuwenbergh

Bicycle

Vredenburg Leeuwenbergh lies on the edge of the Museumkwartier (Museum District) on the outer canal. The building is across from the Maliebaan and the Spoorwegmuseum just behind Lepenburg Park.

Public Transportation

From Utrecht Central Station, take bus line 2, the Museumkwartier loop. After about 10 minutes, get out at the Catharijne Convent stop. Walk 100 meters in the direction of the bus and turn left onto Zuilenstraat. You will come to the Nieuwegracht. Cross it and enter Schalkwijksteeg. At the end of it you will see Vredenburg Leeuwenbergh on your right. Plan your route with www.9292ov.nl.

Car

Parking is scarce in the immediate surroundings of Vredenburg Leeuwenbergh. However, there is paid parking in the Kruisstraat parking garage or on Maliebaan. Follow the directions below.

From The Hague, Rotterdam, Arnhem (A12)

Take the A12 to Utrecht. At the Lunetten junction take the A27 toward Hilversum. Take the Veemarkt exit, exit 30. Follow Veemarkt/Centrum signs. At the roundabout, turn left (3/4). At the next roundabout (Berekuil), follow the sign for Wittevrouwen. Continue on Biltstraat along the bus lane. When the bus lane turns left, cross it to enter Kruisstraat. The Kruisstraat parking garage is 200 meters farther on the right. See below on this page for walking directions from the garage to de Leeuwenbergh.

Walking from the Kruisstraat parking garage to de Leeuwenbergh

From the Kruisstraat parking garage to de Leeuwenbergh is a 5 to 10 minute walk. Turn right at the garage exit. You will be facing the rear of the Stadsschouwburg. Follow the Wittevrouwensingel to the left. Cross at the first stoplights and continue bearing left. After several minutes you come to Lepenburg Park, with a white kiosk on the field. Vredenburg Leeuwenbergh lies on the other side of the park (Servaasbolwerk).

Kruisstraat parking garage full?

If the parking garage is full (check the sign: 'parkeren centrum oost'), you may park on Maliebaan. Continue on Biltstraat. Turn left at the stoplights onto Wittevrouwensingel. Continue to Maliesingel. At the roundabout, turn left onto Maliebaan. Here you will find paid parking. Maliebaan leads to Lepenburg Park, behind which lies Vredenburg Leeuwenbergh.

To get here by foot, turn left from Maliebaan onto Maliesingel. Turn left at the first bridge (Maliebrug) over the canal. After the bridge, turn left. Lepenburg Park lies on your left. After several hundred meters, you come to Vredenburg Leeuwenbergh on your right.

Loading and unloading

The loading and unloading area is located at the front of the building. Unfortunately it is prohibited to park your car in the loading area after loading/unloading. Please refer to the 'car' section for information about parking. Loading and unloading after 23.00 hours is prohibited.

Hall capacity

There are 250 seats in the Leeuwenbergh.

Front of House

2 x 4 seats removable
3 m x 2 m (width x depth)

Dimensions

Stage clearance

Width: 7 meter
Height: 5 meter

Stage

Width: 7 meter
Depth: 5 meter
Stage height: 0.7 meter

Stage curtains

1 Pipe and drape, black
Width: 7 meter
Height: 3 meter

Stage floor

Solid floor

Kerowing hardwood on platforms
Maximum load: 500kg/m

Marley floor

4 strokes 1.40/2 meter wide
Total maximum dimensions
Width: 7 meter
Depth: 5 meter

Chairs and music stands

20	Orchestra chairs
1	Cello stair
2	Bass stools
20	Music stands
2	Instrument tables
5	Music stand lights

Pianofortes

1	Steinway D-000
1	Yamaha C7

Dressing rooms

Vredenburg Leeuwenbergh is provided with 2 dressing rooms. There are separate shower and toilet facilities bordering the dressing rooms.

Dressing room 1 4 persons

Provided with a refrigerator

Dressing room 2 4 persons

Provided with a Yamaha upright piano.

Both dressing rooms are provided with:

Code lock

Ironing board/ Hot Iron

Wardrobes

Meals

Vredenburg Utrecht provides the possibility to enjoy a meal at 'Le Clochard' restaurant, which is within walking distance from Leeuwenbergh. Artists and associates who wish to enjoy their meal at the restaurant are kindly requested to inform our department 'Planning' one week in advance. More information about the 'Le Clochard' restaurant is available at www.leclochard-utrecht.nl.

Smoking

Smoking is prohibited throughout the entire building. It is permitted to smoke outside.

Power supply

Fixed connections

Stage

1	63 A CEE Stage (3 phase)
3	16 A CEE Stage (1 phase) for backline

Power room

1	32 A CEE (3 phase) for dimmers
1	16A CEE (3 phase) for amplifiers

Front of House

1	16 A CEE (1 phase)
---	--------------------

Distribution blocks

1	32A > 2 x 32A CEE, 6 x shuco
---	------------------------------

Dimmers

Fixed dimmers:

12	3.6 kW dimmers for orchestra/auditorium lights
----	--

Dimmer communication

There is 1 fixed DMX line between FOH and the dimmer room.

There is also 1 DMX line from the dimmer room to the stage.

Lighting console

1	MA Lightcommander 12/2
---	------------------------

Lighting

Fixed installation

4	ETC par	Orchestra lights
6	DeSisti 1 kW	Front lights
	Pole-operated	
8	DeSisti 1 kW	Back lights
	Pole-operated	

Cabling

There is an adequate supply of power and DMX cabling available.

Gel filters

There is an adequate collection of Lee filters available.

Audio

FOH Desk

1	Midas XL200
	22x mono input
	2x stereo input
	3x master send (L,R,Mono)
	8x aux sends
	6x mono groups
	2x stereo groups
	8x matrix sends
	8x VCA groups

Effects

1	BSS Varicurve PCS926 EQ
4	Apex 32-band graphic EQ for monitors
1	TC M2000 effect processor
1	BSS DPR404 comp 4ch.
1	BSS DPR402 comp 2ch.
1	CD-player

Speakers

Speakers	2	Renkus Heinz SR82 (front)
	2	Renkus Heinz SR81 (delay1)
	2	Renkus Heinz SR81 (delay2)
Amplifiers	1	Renkus Heinz 4801
	2	Renkus Heinz 4601
	1	XTA DP226 for system delay

Monitor set

Monitors	5	JBL SRX712M
Amplifiers	2	Crest 4801

Microphones

1	Shure B52a
3	Sennheiser E604
3	Sennheiser MD421
3	Sennheiser MD409
2	Beyer M201
7	Shure SM58
6	Shure SM57
3	Shure SM87a
2	Shure SM87
1	AKG Elle C
2	Neumann KM184
2	AKG 414
2	Rode NT55
2	AKG Perception 150
6	ASL Active DI box

Wireless

3	Sennheiser UHF receiver
3	Sennheiser SKM 5000 HH.
3	Sennheiser SK50 Body pack with lavaliers

Sound restrictions

Considering the limited license and the possibility of creating hindrance for the surrounding residents, artists are obligated to obey the directions of the Vredenburg staff. Preferably performances are acoustic by nature; sound reinforcement is only allowed to create an acoustic balance. The maximum sound level during the day (07:00 - 19:00 uur) is 93 dB; evenings (19:00-23:00 uur) are 88 Db.

Audio visual / Communication

Video monitor

Foyer 20 inch LCD info monitor

Auditorium microphones

There are 2 microphones mounted in the auditorium to reproduce the on-stage sound. Recording facilities consist of CD-R.

Installation for the Hearing Impaired

There is an induction loop system to accommodate the Hearing Impaired.

Telephone / Computer network

There are telephone and computer network connections on the following locations:

Dressing room 1 and 2
Production office

There is a wireless WiFi network with coverage throughout the entire building.

The password can be obtained locally on request.

Projection Equipment

1	LCD projector NEC 2300 ANSI lumen.
1	Projection screen 1,8 x 1,8 meter
1	DVD player

There is an adequate supply of video cables available.